

DAFTAR PUSTAKA

- Adriansyah, A. (2014). Perancangan Robot Localization Menggunakan Metode Dead Reckoning. *Sinergi*, 18(1), 25–30.
- Anragani, E. N. (2016). Sistem Perencanaan Gerakan Berjalan Robot Humanoid R2CR9 Bioloid GP Menggunakan Metode Proyeksi Bidang Kartesian. 10–29.
- Harjoko, A. (2019). Sistem Pendeteksian Marker pada Analisis Gait Menggunakan Pengolahan Citra Digital. *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*, 3(2), 137–146.
- Leonardo, P. (2011). Dead Reckoning for Mobile Robots Using Two Optical Mice. 87–94. <https://doi.org/10.5220/0001143000870094>
- Baek, K. R. (2011). A dead reckoning localization system for mobile robots using inertial sensors and wheel revolution encoding. *Journal of Mechanical Science and Technology*, 25(11), 2907–2917. <https://doi.org/10.1007/s12206-011-0805-1>
- Candra, F. (2021). Analisa Implementasi Sensor Gyroscope Pada Pergerakan Robot Humanoid Berbasis Open Cm 9.04. 8, 1–9.
- Asama, H. (2013). Development of open platform humanoid robot DARwIn-OP. *Advanced Robotics*, 27(3), 223–232. <https://doi.org/10.1080/01691864.2012.754079>
- Cai, J. (2021). Real-Time Evaluation Algorithm of Human Body Movement in Football Training Robot. *Mathematical Problems in Engineering*, 2021. <https://doi.org/10.1155/2021/9932737>
- Zhang, J. (2015). A humanoid robot localization method for biped navigation in human-living environments. 2015 IEEE International Conference on Cyber

- Technology in Automation, Control and Intelligent Systems, IEEE-CYBER 2015, March 2019, 540–544. <https://doi.org/10.1109/CYBER.2015.7287997>
- Silvia, A. (2017). Sistem navigasi pada. Seminar Nasional Teknologi Informasi, Bisnis, Dan Desain 2017, 6(1), 129–134.
- Sugihara, T. (2015). Dead reckoning for biped robots that suffers less from foot contact condition based on anchoring pivot estimation. *Advanced Robotics*, 29(12), 785–799. <https://doi.org/10.1080/01691864.2015.1011694>
- Permatasari, G. A. (2016). ANALISIS PERBEDAAN PENGARUH SEPATU BERHAK WEDGE DAN NON-WEDGE TERHADAP GAIT DAN KESEIMBANGAN.
- Pratomo, A. (2013). Implementasi Algoritma Dead Reckoning untuk Perbaikan Penentuan Posisi di Ruang Indoor untuk Pejalan Kaki (Vol. 2, Issue 1, pp. 1–5).
- Hoffmann, M. (2011). Dead reckoning in a dynamic quadruped robot: Inertial navigation system aided by a legged odometer. *Proceedings - IEEE International Conference on Robotics and Automation*, 617–624. <https://doi.org/10.1109/ICRA.2011.5979609>
- Kawuri, L. D. (2012). Sistem Navigasi untuk Individu Pejalan Kaki Berbasis Prinsip Dead Reckoning. *Transmisi*, 14(2), 42-47–47.
- Chan, C.-C. (2014). Decentralized EIF-based global localization using dead-Reckoning, KINECT and laser scanning for autonomous omnidirectional mobile robot. 1. <https://ieeexplore.ieee.org/document/6871497>
- Udinus. (2013). *Prosiding Isrsc 2013*.
- Wibowo, W. T. (2017). Implementasi Inverse Kinematics Pada Pergerakan Robot

Quadruped. Its, 1–110.

Xiong, J. (2017). A central pattern generator approach to footstep transition for biped navigation. *International Journal of Advanced Robotic Systems*, 14(1), 1–9. <https://doi.org/10.1177/1729881416682708>

Yilmaz, M. (2010). *Humanoid Robot Omnidirectional Walking Trajectory*. August.